




DATA SERIES ICON DATA VINYL



RECOMMENDED APPLICATIONS





DATA CENTRES SERVER ROOMS

SYSTEM NAME

Icon Data Vinyl Super Heavy Industrial Grade 13.0kN

DESCRIPTION

Icon Data Vinyl is a finished system designed for Computer and Data Centre environments. It can be used for mapping and distributing cabling, data and other electrical services in the sub-floor.

The Icon Data Vinyl system has a Dissipative Anti-static 2mm Vinyl surface finish. The Vinyl protects against voltage shorts that can occur with electrical equipment and creates an electrostatic discharge to help prevent buildup of the static electricity which could damage equipment.

COMPLIANT STANDARDS

Australian Standard AS4154/AS4155 Australian Standard AS1170 NATA Testing Certification ISO9239-1-2003 EN12825-2001 DIN4102-1-1998

CORE Cementitious Compound

FINISH Gerflor Mipolam Robust EL7 Dissipative Anti-static 2mm Vinyl surface finish

CONSTRUCTION

The panels consist of a hardened steel top and bottom sheet plate with corrosion resistant protection, inside and out, encapsulating a structural cementitious core.

TOLERANCE

 $\pm 0.25 \text{mm}$ and a flatness tolerance of $\pm 0.5 \text{mm}$ measured on a diagonal across the top of the panel

CONNECTION

The panel is gravity held on top of the stringer assembly.

SIZE 600mm x 600mm

DEPTH 34.6mm

PERFORMANCE TO STANDARDS GUIDE PER AS4154 - 1993 AUSTRALIAN STANDARD - GENERAL ACCESS FLOORS

Load Level	Panel (kg)	System (kg/m² at 450mm FFH)		
13.0kN Super Heavy Industrial Grade	21.23	67.65		
STATIC PERFORMANCE (kN)				
Concentrated	Impact Ultimate			
13.0	0.4 39.0			
DYNAMIC PERFORMANCE (kN) - Passes				
10 passes (wheel size 75x25mm)	10,000 passes (wheel size 150x50mm)	40,000 passes (wheel size 200x75mm)		
11.0	8.9 2.25			
Safety Factor: Panels m	ust provide a minimum safety facto	or of three (3) times the		

Safety Factor: Panels must provide a minimum safety factor of three (3) times the concentrated load specified above in accordance with Australian Standards AS4154-1993

PEDESTAL SIZE

100mm x 100mm base plate

PEDESTAL CONSTRUCTION

Hot dipped galvanised steel pedestal base, head and rod. Finished with an ABS locating gasket.

PEDESTAL LOCKING

The pedestals will be provided with an adjusting and locking nut to maintain the assembly at a selected height, which requires a deliberate action to change the height setting, and which prevents vibration displacement.

PEDESTAL FINISH

Hot dipped galvanized finish.

PEDESTAL CONNECTION

The panel is gravity held on top of the stringer assembly.

PEDESTAL FINISHED FLOOR HEIGHT (FFH)

The finished floor height of the access floor is measured from the sub floor to the top surface of the installed access floor.

STRINGER SIZE

31mm x 21mm x 1.2mm x 600mm

STRINGER CONSTRUCTION

Rectangular steel welded tube with 1.6mm sponge rubber foam.

STRINGER FINISH

Hot dipped galvanized finish.

STRINGER CONNECTION

The stringer is screw fixed to the pedestal head.





MIPOLAM ROBUST EL7

thertooringroup				
DESCRIPTION				
Total thickness	EN ISO 24346	mm	2.00	
Weight	EN ISO 23997	g/m²	3300	
Width of sheet	EN ISO 24341	cm	200	
Length of sheet	EN ISO 24341	lm	20	
Tile size	EN ISO 24342	mm	608 x 608	
Number of tiles per package		-	20	
CLASSIFICATION				
Standard / Product specification	-	-	EN ISO 10581	
European classification	EN ISO 10874	class	34 - 43	
Fire rating	EN 13501-1	class	B _{ff} -s1	
Electrical resistance (1)	EN 1081	Ohm	10 ⁶ ≤ Rt ≤ 10 ⁸	
Electrical resistance	ASTM F 150	Ohm	$10^6 \le Rt \le 10^9 (2)$	
Static electrical propensity	EN 1815	kV	< 2	
PERFORMANCE				
Type Binder content	EN ISO 10581	type	II	
Dimensional stability	EN ISO 23999	%	sheet ≤ 0.40 tile ≤ 0.25	
Residual indentation (norm)	EN ISO 24343-1	mm	≤ 0.10	
Residual indentation (average measured value)	-	mm	~ 0,03	
Castor chair test (type W)	ISO 4918	-	OK	
Thermal conductivity	EN ISO 10456	W/(m.K)	0.25	
Colour fastness	EN 20 105 - B02	degree	≥ 6	
Chemical products resistance	EN ISO 26987	-	OK	
ENVIRONMENT / INDOOR AIR QUALITY				
TVOC after 28 days	ISO 16000-6	μg/ m³	< 10	
CE MARKING				
	EN 14041	-		
		-	B _{II} -s1	

- (1) Measured before installation(2) If RH level is > 40%